Product Datasheet		Mouse Anti-Human EVA1 (Epithelial V-like antigen 1) Overview			
Store at -20°C		Product number	PDZMM134		
		Host species	Mouse		
		Target species	Human		
		Suitable for: Dot blot, ICC, IHC-Fr	IHC-P, WB, ELISA, I	Immunomicroscopy,	
Immunogen	A KLH-conjugated synthetic peptide derived from human Epithelial V-like antigen 1 protein was used for immunization.				
Conjugation	Unconjugated				
Properties					
Form	Liquid			7:	
Storage instructions	Shipped at 4 °C section.	pped at 4 °C. Store at -20 °C. Avoid freeze/thaw cycle. Please see notes tion.			
Storage buffer	pH: 7.4, Preservative: Stabilizer, Constituents: PBS 0.01mM				
Purity Purification notes	immunogen affinity or SpG purified This product was prepared by immunoaffinity chromatography using immunogen peptide coupled to Sepharose 4B.				
Conjugation notes Clonality Isotype General notes	<ul> <li>Monoclonal IgG</li> <li>For extended storage aliquot contents and freeze at -20 °C or below. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4 °C as an undiluted liquid. Dilute only prior to immediate use.</li> <li>Our customer's feedback says the antibody worked great. If in case the antibody fails to give results then please contact our scientific support team for assistance.</li> </ul>				



## Applications

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end-user.

Product Usage Information:					
Application Dilutions					
Western Blotting	3-5 ug/ml				
Immunohistochemistry (Paraffin)	5-10 ug/ml				
Immunohistochemistry (Frozen)	5-10 ug/ml				
Immunofluorescence	5-10 ug/ml				
Flow Cytometry	5-10 ug/ml				

Please note: All products are "FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES"


## **Background:**

Epithelial V-like antigen 1 (EVA1) expression is increased in hepatocellular carcinoma (HCC) and is associated with a poor prognosis and recurrence in HCC patients. Overexpression of EVA1 promotes cell growth, invasion and migration in vitro. EVA1 is able to upregulate the expression of genes in the ERBB3-PI3K pathway.

## **Terms and conditions**

Guarantee only valid for products bought direct from PADZA or one of our authorized distributors

## **References:**



Note: This product has originally been developed at Avicenna Research Institute, Tehran, IRAN and assigned to PADZA Company according to contract 98/15/191dated 98/01/10.

